

TWC02 ESSENTIAL HIVIS WAISTCOAT

TWO BAND WITH VELCRO® FASTENING

Yellow 100% polyester fabric hi visibility safety vest, conforming to EN20471:2013 class 2 due to thicker hi vis tape around the torso (6cm wide) increasing total reflective area (when compared to traditional 5cm wide tape). Velcro® fastening allows for a secure fit. Individually packed with multi-lingual user information sheet in every pack as standard.

with
REFLEXR™
High Performance Tape



TECHNICAL INFORMATION

ORDER REF. #	TWC02
COLOURS AVAILABLE:	YELLOW, ORANGE (GO/RT)
SIZES AVAILABLE:	S-M, L-XL, 2XL-3XL
TYPICAL APPLICATIONS:	Tasks with a hi-vis requirement - traffic, security, event management, construction, road works, driving etc.
MATERIAL:	100% POLYESTER
PER CASE:	100 PIECES (INDIVIDUAL POLYBAG)
PER PACK:	1 PIECE PER POLYBAG

TECHNICAL INFORMATION:

EN ISO 20471:2013



CERTIFICATION:

This product has been certified by: SATRA, SATRA Technology Centre, Wyndham Way, Telford Way, Kettering, Northamptonshire, NN16 8SD. UK **Notified body: 0321** in accordance with Article 10 of PPE Directive 89/686/EEC and has been shown to comply with the standards: EN ISO 20471:2013 - Class II



VELCRO™
FASTENING



CERTIFIED TO
25 WASHES



REFLEXR™
HI VIS TAPE



INDIVIDUAL
POLYBAG



SUITABLE
FOR PRINTING



CLASS 2
REFLECTIVITY

TD-TWC02.01/18 REV3

enhanced performance



Phone: +44 (0)1902 451 451

Email: sales@ultimateindustrial.co.uk

Web: traega.co.uk | ultimateindustrial.co.uk

TWC02G

ESSENTIAL HIVIS WAISTCOAT

TWO BAND WITH VELCRO® FASTENING

Orange 100% polyester fabric hi visibility safety vest, conforming to EN20471:2013 class 2 due to thicker hi vis tape around the torso (6cm wide) increasing total reflective area (when compared to traditional 5cm wide tape). Velcro® fastening allows for a secure fit. Individually packed with multi-lingual user information sheet in every pack as standard.

with
REFLEXR™
High Performance Tape



TECHNICAL INFORMATION

ORDER REF. #	TWC02G
COLOURS AVAILABLE:	ORANGE (GO/RT), YELLOW
SIZES AVAILABLE:	S-M, L-XL, 2XL-3XL
TYPICAL APPLICATIONS:	Tasks with a hi-vis requirement - traffic, security, event management, construction, road works, railways etc
MATERIAL:	100% POLYESTER
PER CASE:	100 PIECES (INDIVIDUAL POLYBAG)
PER PACK:	1 PIECE PER POLYBAG

TECHNICAL INFORMATION:

EN ISO 20471:2013 GO/RT 3279 Issue 8



CERTIFICATION:

This product has been certified by: SATRA, SATRA Technology Centre, Wyndham Way, Telford Way, Kettering, Northamptonshire, NN16 8SD. UK **Notified body: 0321** in accordance with Article 10 of PPE Directive 89/686/EEC and has been shown to comply with the standards: EN ISO 20471:2013 - Area of visible material. GO/RT 3279 Issue 8



VELCRO™
FASTENING



CERTIFIED TO
25 WASHES



REFLEXR™
HI VIS TAPE



INDIVIDUAL
POLYBAG



SUITABLE
FOR PRINTING



GO/RT 3279
CERTIFIED



CLASS 2
REFLECTIVITY

TD-TWC02G.01/18 REV4



FITTING INSTRUCTIONS:

For a correct fit, please use the träega size guide for measurements and fitting tips. All conversions are approximate and fits may vary by style or personal preference.

»» enhanced performance				
A	INCHES	CM	EURO	C 152 - 202 cm
S	36 - 38	92 - 96	46 - 48	
M	40 - 41	100 - 104	50 - 52	
L	42 - 44	108 - 112	54 - 56	
XL	46 - 48	116 - 124	58 - 62	
XXL	50 - 52	128 - 132	64 - 66	
3XL	54 - 55	136 - 140	68 - 70	
4XL	56 - 58	144 - 148	72 - 74	
5XL	60 - 64	152 - 160	76 - 80	

B	INCHES	CM	C	D
			CM	CM
S	30 - 32	76 - 80	REG 164-176	79
M	33 - 34	84 - 88		
L	36 - 38	92 - 96	TALL 176-188	84
XL	40 - 41	100 - 104		
XXL	42 - 44	108 - 112	X TALL 188-202	92
3XL	46 - 47	116 - 120		
4XL	48 - 50	124 - 128		

STORAGE:

Do not store in places subject to direct or strong sunlight. Store in clean, dry conditions and preferably in original packaging.

WASH CARE:



CERTIFICATION LEGENDS:

EN ISO 20471:2013
Class according to visible materials minimum area (Max 3)



Meets: GO/RT 3279 Issue 8

Railway Group Standard
GO/RT 3279:2012 defines the
minimum requirements for
high-visibility clothing for being
conspicuous on the line-side or
on or near the line.

MAINTENANCE:

The garment should be worn fastened at all times to provide the correct level of protection stated. Keep clean: should the high visibility properties of this garment become irrecoverably soiled or contaminated, replace immediately. The garment is suitable for wear during an entire working day and contains no toxic substances that are known to adversely affect user health. Do not attempt to repair damaged garments. Regular comparison against a new garment is recommended. Retro-reflective tape should not be ironed. Garment lifetime depends on: usage, care storage, number of washes etc. Garments should be discarded when the protective qualities no longer apply. See enclosed user instruction sheet for more information.

If appropriate to the product, EC Declaration of Conformities, relevant certification and supporting documentation are available to access through your distributor, at the below web address(s) or by contacting Traega / UCI customer services.

This document and any other statement provided herein by or on behalf of Traega / UCI are given for informational purposes and do not constitute a contractual agreement nor warranty of merchantability. Traega / UCI assumes no responsibility for the suitability or adequacy of an end user's selection of product for a specific purpose.

TD-TWC02G.01/18 REV4

»» enhanced performance



Phone: +44 (0)1902 451 451
Email: sales@ultimateindustrial.co.uk
Web: traega.co.uk | ultimateindustrial.co.uk

träega® | enhanced performance

© 2018. Traega. Head Office: Victoria house, Colliery Road, Wolverhampton, WV1 2RD, UK
[VAT Registration No. GB 431 4768 53] Registered in England No. 2035621 | A UCI, Ultimate Industrial Ltd Brand.