

TSW13 HIVIS HOODED SWEATSHIRT

CLASS 3 300GSM HOODED SWEATSHIRT

A premium quality 300gsm jersey sweatshirt constructed from an Anti-Pilling 65% Polyester and 35% cotton knitted material. Fleece lined inside for warmth and comfort.

Two 6cm bands around the waist allow this garment to achieve EN ISO 20471. This garment accommodates a warm fleecy hood and a front through pocket can be used to hold tools or simply to warm hands.

Ample room for printing and logos.

Tested to 25 washes.

with
REFLEXR™
High Performance Tape



TECHNICAL INFORMATION

ORDER REF. #	TSW13
COLOURS AVAILABLE:	YELLOW, ORANGE (GO/RT)
SIZES AVAILABLE:	S, M, L, XL, 2XL, 3XL
TYPICAL APPLICATIONS:	Tasks with a hi-vis requirement - traffic, warehousing, event management, construction, road works, driving etc.
MATERIAL:	300GSM 65/35 POLYCOTTON
PER CASE:	12 PIECES (INDIVIDUAL POLYBAG)
PER PACK:	1 PIECE PER POLYBAG

TECHNICAL INFORMATION:

EN ISO 20471:2013
+A1:2016



CERTIFICATION:

This product has been certified by: SATRA, SATRA Technology Centre, Wyndham Way, Telford Way, Kettering, Northamptonshire, NN16 8SD. UK **Notified body: 0321** in accordance with Article 10 of PPE Directive 89/686/EEC and has been shown to comply with the standards: EN ISO 20471:2013 - CLASS 3



ANTI-PILLING
FABRIC



LINED HOOD



REFLEXR™
HI VIS TAPE



INDIVIDUAL
POLYBAG



SUITABLE
FOR PRINTING



FRONTAL
POCKET



COLD
WEATHER
PROTECTION



CLASS 3
REFLECTIVITY

TD-TSW13.01/18 REV2

enhanced performance



Phone: +44 (0)1902 451 451

Email: sales@ultimateindustrial.co.uk

Web: traega.co.uk | ultimateindustrial.co.uk

TSW13G HIVIS HOODED SWEATSHIRT

CLASS 3 300GSM HOODED SWEATSHIRT

A premium quality 300gsm jersey sweatshirt constructed from an Anti-Pilling 65% Polyester and 35% cotton knitted material. Fleece inside for warmth and comfort.

Two 6cm bands around the waist allow this garment to achieve EN ISO 20471. This garment accommodates a warm fleecy hood and a front through pocket can be used to hold tools or simply to warm hands.

Ample room for printing or logos.

Tested to RIS-3279-TOM: Issue 1 and tested to 25 wash cycles.

with
REFLEXR™
High Performance Tape



TECHNICAL INFORMATION

ORDER REF. #	TSW13G
COLOURS AVAILABLE:	ORANGE (GO/RT), YELLOW
SIZES AVAILABLE:	S, M, L, XL, 2XL, 3XL
TYPICAL APPLICATIONS:	Tasks with a hi-vis requirement - traffic, security, warehousing, construction, road works, railways etc
MATERIAL:	300GSM 65/35 POLYCOTTON
PER CASE:	12 PIECES (INDIVIDUAL POLYBAG)
PER PACK:	1 PIECE PER POLYBAG

TECHNICAL INFORMATION:

EN ISO 20471:2013
+A1:2016



GO/RT 3279 Issue 8
RIS-3279-TOM:ISSUE 1



with
REFLEXR™
High Performance Tape

CERTIFICATION:

This product has been certified by: SATRA, SATRA Technology Centre, Wyndham Way, Telford Way, Kettering, Northamptonshire, NN16 8SD. UK **Notified body: 0321** in accordance with Article 10 of PPE Directive 89/686/EEC and has been shown to comply with the standards: EN ISO 20471:2013 - Class 3 - RIS-3279-TOM: ISSUE 1



ANTI-PILLING
FABRIC



LINED HOOD



REFLEXR™
HI VIS TAPE



INDIVIDUAL
POLYBAG



SUITABLE
FOR PRINTING



RIS-3279-TOM
CERTIFIED



FRONTAL
POCKET



COLD
WEATHER
PROTECTION



CLASS 3
REFLECTIVITY

TD-TSW13G.01/18 REV2

enhanced performance



Phone: +44 (0)1902 451 451

Email: sales@ultimateindustrial.co.uk

Web: traega.co.uk | ultimateindustrial.co.uk

FITTING INSTRUCTIONS:

For a correct fit, please use the träega size guide for measurements and fitting tips. All conversions are approximate and fits may vary by style or personal preference.

»» enhanced performance				
A	INCHES	CM	EURO	C 152 - 202 cm
S	36 - 38	92 - 96	46 - 48	
M	40 - 41	100 - 104	50 - 52	
L	42 - 44	108 - 112	54 - 56	
XL	46 - 48	116 - 124	58 - 62	
XXL	50 - 52	128 - 132	64 - 66	
3XL	54 - 55	136 - 140	68 - 70	
4XL	56 - 58	144 - 148	72 - 74	
5XL	60 - 64	152 - 160	76 - 80	

B	INCHES	CM	C	D
			CM	CM
S	30 - 32	76 - 80	REG 164-176	79
M	33 - 34	84 - 88		
L	36 - 38	92 - 96	TALL 176-188	84
XL	40 - 41	100 - 104		
XXL	42 - 44	108 - 112	X TALL 188-202	92
3XL	46 - 47	116 - 120		
4XL	48 - 50	124 - 128		


STORAGE:

Do not store in places subject to direct or strong sunlight. Store in clean, dry conditions and preferably in original packaging.

WASH CARE:



CERTIFICATION LEGENDS:



MAINTENANCE:

The garment should be worn fastened at all times to provide the correct level of protection stated. Keep clean: should the high visibility properties of this garment become irrecoverably soiled or contaminated, replace immediately. The garment is suitable for wear during an entire working day and contains no toxic substances that are known to adversely affect user health. Do not attempt to repair damaged garments. Regular comparison against a new garment is recommended. Retro-reflective tape should not be ironed. Garment lifetime depends on: usage, care storage, number of washes etc. Garments should be discarded when the protective qualities no longer apply. See enclosed user instruction sheet for more information.

If appropriate to the product, EC Declaration of Conformities, relevant certification and supporting documentation are available to access through your distributor, at the below web address(s) or by contacting Traega / UCI customer services.

This document and any other statement provided herein by or on behalf of Traega / UCI are given for informational purposes and do not constitute a contractual agreement nor warranty of merchantability. Traega / UCI assumes no responsibility for the suitability or adequacy of an end user's selection of product for a specific purpose.

TD-TSW13G.01/18 REV2

»» enhanced performance



Phone: +44 (0)1902 451 451
Email: sales@ultimateindustrial.co.uk
Web: traega.co.uk | ultimateindustrial.co.uk