Product Family

A700 Series

Economical and stylish eye protection with sport temples for a fashionable yet comfortable fit. Sporty-wrap-around design. Slim version also available .

Product Numbers & Ordering Information

	Product Numbers	Details
	1030304	**A700 CLEAR FRAME HC CARDED** Product emphasized in an effective packaging designed for a self-service environment.
	1015361	**Clear Frame** Clear Lens, Anti-scratch Coating
	1015362	**Gray Frame** TSR Gray Lens, Anti-scratch Coating
	1015441	**Amber Frame** Amber Lens, Anti-scratch Coating
	1015440	**Gray Frame** Blue Mirror Lens, Anti-scratch Coating
	1015360	**Clear Frame** Clear Lens, Fog-Ban Anti-fog Coating

1015351

Gray Frame
TSR Gray Lens, Fog-Ban Anti-fog Coating

Overview

Key Features

- Economical and stylish eye protection
- Sport temples with soft temple tip pads for comfortable fit
- Secure wrap-around design
- Polycarbonate, distortion-free, hardcoat lenses
- Soft temple tip pads for a secure fit
- Available with scratch-resistant hardcoating or optional Fog-Ban anti-fog coating

Recommended Industries/Use

- Agriculture
- Construction
- Food Services
- Forestry
- Manufacturing
- Medical
- Mining
- Municipal Services
- Oil and Gas
- Pharmaceutical
- Steel and Metals
- Transportation
- Utilities

Hazards

- Abrasion
- Airborne Particulates
- Biohazard
- Impact
- Low Visibility

Regulations

- ANSI Z87+ - Meets ANSI Z87+ (High Impact)
- ANSI Z 87.1-1989 / CA 18,822 - ANSI Z 87.1/1989 (MTE Link http://www.mte.gov.br/Empregador/segsau/Pesquisa/CA_DET.asp?vNRCAProc=18822&Equipamento=00&NOEquipamento=&Fabricante=00&NOFabricante=)
- AS/NZS 1337 - AS/NZS 1337, ANSI.Z.87.1/1989 MTE Link http://www.mte.gov.br/Empregador/segsau/Pesquisa/CA_DET.asp?vNRCAProc=18822&Equipamento=00&NOEquipamento=&Fabricante=00&NOFabricante=
- CSA Z94.3 - Tested by PIP Global Safety to meet the requirements of the CSA Z94.3 standard
- EC Category PPE: Category II, Standards EN166/EN170/EN172, European Directives 89/686/EEC, Quality Assurance ISO 9001/2000, Optical Class I, F-Low energy impact

Historical Brand

Pulsafe, Willson

Warranty Information

LIMITED WARRANTY: warrants that is products are free from defects in material and workmanship. A product that is subject of a warranty claim must first be made available to an authorized PIP Global Safety distributor or the to seller from whom the product was purchased. All warranty returns must be shipped pre-paid. PIP Global Safety or the PIP Global Safety Product distributor will then determine whether repair or replacement of the product is the appropriate remedy. This will be done at no charge to the end-user. This limited warranty does not cover any PIP Global Safety product or component found to have been altered, misused, abused tampered with or improperly maintained or to have deteriorated due to aging of any components made of rubber or any other elatomer. This limited warranty does not cover any damage, loss or expense due to damage caused by accident, abuse, improper maintenance, use or misuse of the product. PIP Global Safety Product should be used only on strict accordance wtih and adherance to the detailed instructions and warnings provided with the product.

Specifications

Range

- Spectacle

Lens Type

- Single

Lens Overall Width

- 150mm

Lens Material

- Polycarbonate

Lens Coating

- Hardcoat, Fog-Ban® Anti-Fog Coating

Lens Thickness

- 2.0mm

Available Lens Tints

- Clear, TSR® Gray, Amber, Blue Mirror, I/O Silver

Replacement Lenses Available (Yes/No)

- No

Rx Capable

- No

Temple Material

- Polycarbonate

Temple Length

- 110mm

Temple Set-back

- 50mm

Temple Style

- 1 piece

Spectacle Weight

- 21.65 grams

Frame Material

- Frameless Uni-lens

Available Frame Colors

- Clear, Gray

Dielectric Frame (Yes/No)

- Yes

Packaging

- 1/polybag, 10 pr./stocker, 200 pr./case

Country of Origin

- China

Side Shield Material

- N/A

MSDS Requirements

- None

WHMIS Requirements

- None

Harmonization Code

- 9004.90.0000

© 2025 Protective Industrial Products, Inc.